



CorePro LED candles and lusters

CorePro LEDcandle ND 5.5-40W E14 827 B35 FR

The CorePro LEDcandles and lusters are designed for retrofit replacement of incandescent lamps, and are particularly attractive for chandeliers. They are compatible with fixtures with an E14 holder for candles and E14 or E27 holders for lusters, and are available in either warm white, white or cool daylight color temperatures. LED lamps deliver huge energy savings and minimize maintenance cost. The CorePro LED candles and lusters are perfect for your basic lighting needs. They provide the beautiful light and dependable performance you expect from LED at an affordable price.

Product data

General Information		LLMF At End Of Nominal Lifetime (Nom) 70 %	
Cap-Base	E14 [E14]		
Reddot Design Award Winner mark	Reddot Design Award Winner 2016		
Nominal Lifetime (Nom)	15000 h		
Switching Cycle	50000X		
Technical Type	5.5-40W		
Light Technical		Operating and Electrical	
Color Code	827 [CCT of 2700K]	Input Frequency	50 to 60 Hz
Luminous Flux (Nom)	470 lm	Power (Rated) (Nom)	5.5 W
Luminous Flux (Rated) (Nom)	470 lm	Lamp Current (Nom)	50 mA
Color Designation	Warm White (WW)	Wattage Equivalent	40 W
Correlated Color Temperature (Nom)	2700 K	Starting Time (Nom)	0.5 s
Luminous Efficacy (rated) (Nom)	85.45 lm/W	Warm Up Time To 60% Light (Nom)	0.5 s
Color Consistency	<6	Power Factor (Nom)	0.5
Color Rendering Index (Nom)	80	Voltage (Nom)	220-240 V
		Temperature	
		T-Case Maximum (Nom)	85 °C

CorePro LED candles and lusters

Controls and Dimming

Dimmable No

Mechanical and Housing

Bulb Finish Frosted

Approval and Application

Energy Efficiency Label (EEL) A+

Energy Consumption kWh/1000 h 6 kWh

Product Data

Full product code 871829176238600

Order product name CorePro LEDcandle ND 5.5-40W E14 827 B35 FR

EAN/UPC - Product 8718291762386

Order code 929001157702


Numerator - Quantity Per Pack 1

Numerator - Packs per outer box 10

Material Nr. (12NC) 929001157702

Net Weight (Piece) 0.040 kg



Dimensional drawing



LED ND 5.5-40W E14 827 220-240V B35 FR

Product	D	C
CorePro LEDcandle ND 5.5-40W E14 827 B35 FR	35 mm	106 mm


Photometric data



CorePro LEDcandle 40W E14 827 FR B35 ND


CorePro LED candles and lusters

Photometric data




CorePro 822-827

Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

